



rigging **BOX**

equipmentlist

<i>Index</i>	<i>page</i>
Truss	3
Prolyte X30-D, H30-D, H30-V, H40-V, S36-R,S36-V, S52-F, S52-V, S100-F, B100-RV, Slick Flash Folding, Tomcat Swing wing, circles, delay tower, groundsupport	
Hoists	11
Controllers	12
Cables	13
motorcables, motormulti's, mains	
Steelworks	15
Steels, basket steels, sleeved steels, chainclutchs o-rings, shackles, roundslings, steel flex, ratchetstraps, beamclamps, scaffclamps	
Specials	19
Rotation-units, safety lines, fall arrest, steelladders	
Contact	20

Prolyte X30-D

X30-D 29cm Black

X30-D 50cm Black

X30-D 100cm Black

X30-D 200cm Black

X30-D 300cm Black

X30-D 2-way 90° corner - C003 Black

Prolyte H30-D

H30-D 25cm

H30-D 29cm

H30-D 50cm

H30-D 71cm

H30-D 100cm

H30-D 200cm

H30-D 300cm

H30-D 2-way 90° corner - C003

H30-D 2-way 90° corner AU - C006

H30-D 2-way 90° corner AD - C007

H30-D 3-way corner AU - C010

H30-D 3-way corner AU - C011

H30-D 3-way corner AD - C012

H30-D 3-way corner AD - C013

H30-D 4-way corner HOR - C016

H30-D 3-way corner HOR-T - C017

H30-D 3-way corner AD - C018

H30-D 4-way corner AU - C019

H30-D 4-way corner AD- C020

H30-D 25cm Black

H30-D 29cm Black

H30-D 50cm Black

H30-D 71cm Black

H30-D 100cm Black

H30-D 200cm Black

H30-D 300cm Black

H30-D 2-way 90° corner - C003 Black

H30-D 3-way corner AD - C012 Black

H30-D 4-way corner HOR - C016 Black

H30-D 3-way corner HOR-T - C017 Black

H30-D bookcorner Grey

H30-D baseplate 33cm x 29cm Δ

H30-D baseplate 50cm x 50cm

H30-D baseplate 80cm x 80cm

H30-D mega baseplate (round)

H30-D liftingbracket

Prolyte H30-V

H30-V 25cm

H30-V 29cm

H30-V 40cm

H30-V 50cm

H30-V 71cm

H30-V 100cm

H30-V 200cm

H30-V 300cm

H30-V 2-way 90° corner - C003

H30-V 3-way CUBE corner - C012

H30-V 4-way corner HOR - C016

H30-V 3-way T corner - C017

H30-V 4-way corner - C020

H30-V Boxcorner

H30-V attachment boxcorner 21cm

H30-V 25cm Black

H30-V 29cm Black

H30-V 50cm Black

H30-V 71cm Black

H30-V 100cm Black

H30-V 200cm Black

H30-V 300cm Black

H30-V 2-way 90° corner - C003 Black

H30-V 3-way T corner - C017 Black

H30-V Boxcorner Black

H30-V attachment boxcorner 21cm Black

H30-V bookcorner Grey

H30-V baseplate 35cm x 35cm

H30-V topplate 33cm x 33cm

H30-V baseplate 80cm x 80cm

H30-V mega baseplate (round)

H30-V liftingbracket

Prolyte H40-V

H40-V 25cm Black

H40-V 29cm Black

H40-V 50cm Black

H40-V 60cm Black

H40-V 81cm Black

H40-V 100cm Black

H40-V 200cm Black

H40-V 300cm Black

H40-V boxcorner Black

H40-V attachment boxcorner 21cm Black

H40-V mega baseplate (round)

Prolyte S36-R

S36-R 60cm Black

S36-R 80cm Black

S36-R 120cm Black

S36-R 240cm Black

S36-R boxcorner Black

S36-R 2-way 135° corner - C005 Black

S36-R bookcorner Horizontal

S36-R bookcorner Vertical

S36-R baseplate 30cm x 40cm

S36-R topplate 25cm x 50cm

Prolyte S36-V

S36-V 50cm

S36-V 100cm

S36-V 200cm

S36-V 300cm

S36-V boxcorner

S36-V bookcorner

S36-V baseplate 39cm x 39cm

S36-V mega baseplate (round)

Prolyte S52-F

S52-F 60cm

S52-F 80cm

S52-F 120cm

S52-F 160cm

S52-F 240cm

S52-F 4-way HOR corner - C016

S52-F 3-way T corner - C017

S52-F bookcorner

S52-F 60cm Black

S52-F 80cm Black

S52-F 100cm Black

S52-F 120cm Black

S52-F 240cm Black

S52-F 4-way HOR corner - C016 Black

S52-F mega baseplate (round)

Prolyte S52-V

S52-V 50cm Black

S52-V 100cm Black

S52-V 150cm Black

S52-V 200cm Black

S52-V 250cm Black

S52-V 300cm Black

S52-V boxcorner Black

S52-V bookcorner Black

S52-V mega baseplate (round)

S52-V liftingbracket

Prolyte S100-F

S100-F 120cm Black

S100-F 240cm Black

Prolyte B100-RV

B100-RV 100cm

B100-RV 200cm

B100-RV 300cm

Slick Flash Folding

Flash folding 80cm Black

Flash folding 120cm Black

Flash folding 240cm Black

Flash folding Bookcorner HOR Black

Tomcat Swing wing

Swing wing TRS 30 240cm Black

Swing wing TRS 30 4-way HOR corner Black

Circle's

Prolyte X30-D Ø 200cm 2 truss units of 180°

Prolyte X30-D Ø 700cm 8 truss units of 45°

Prolyte X30-D Ø 800cm 8 truss units of 45°

Prolyte H30-D Ø 200cm 2 truss units of 180°

Prolyte H30-D Ø 200cm 4 truss units of 90°

Prolyte H30-D Ø 300cm 4 truss units of 90°

Prolyte H30-D Ø 300cm 4 truss units of 90° Black

Prolyte H30-D Ø 400cm 4 truss units of 90°

Prolyte H30-D Ø 500cm 4 truss units of 90°

Prolyte H30-V Ø 200cm 4 truss units of 90°

Prolyte H30-V Ø 400cm 4 truss units of 90°

Prolyte H40-V Ø 500cm 4 truss units of 90°

Prolyte S36-R Ø 1000cm 12 truss units of 30°

Prolyte S52-V Ø 400cm 4 truss units of 90° Black

Prolyte S52-V Ø 200cm 8 truss units of 45° Black

Slick Minibeam Ø 600cm 6 truss units of 60°

Slick Minibeam Ø 800cm 8 truss units of 45°

Slick Minibeam Ø 1000cm 12 truss units of 30°

* Other size truss circle on request

Prolyte Delay Tower

Prolyte delay tower S36-V 10.5m, WLL 1000kg incl. CM L Hoist direct control 1000kg 4m/min 30m lift

Prolyte Groundsupport

S40-Tower 50cm Black

S40-Tower 100cm Black

S40-Tower 200cm Black

S40-T sleeveblock 4-way for S36-R - S52-F Black

S40-T sleeveblock 4-way for S52-F - S100-F Black

S40-T basesection Black

S40-T topsection Black

C52-Tower 50cm

C52-Tower 100cm

C52-Tower 200cm

C52-Tower 300cm

C52-T sleeveblock 4-way for S52-F - S52-V - S100-F - B100-RV

C52-T basesection

C52-T topsection

C52-T motor-attachment

C52-T safetybar for S52-F - S52-V - S100-F - B100-RV

C52-T toolcase, CCS7-goldpins, outrigger long and short, Stabilisator and tools

Hoists

Nitichi chainhoist 500kg 8,5m lift

Nitichi chainhoist 500kg 10m lift

Nitichi chainhoist 500kg 12m lift

Nitichi chainhoist 1000kg 12m lift

CM Lodestar Prostar 250kg 4m/min, 15m lift *

CM Lodestar CM F 500kg 4m/min, 10m lift *

CM Lodestar CM F 500kg 4m/min, 20m lift *

CM Lodestar CM JJ 500kg 16m/min, 20m lift *

CM Lodestar CM L 1000kg 4m/min, 20m lift *

CM Lodestar CM L + 1000kg 4m/min, 36m lift *

CM Lodestar CM L arena 1000kg 4m/min, 57m lift *

CM Lodestar CM LL 1000kg 8m/min, 36m lift *

CM Lodestar CM LL 1000kg 2 speed 2m/min or 8m/min, 60m lift (48v) *

CM Lodestar CM RR 2000kg 4m/min, 30m lift *

Chainbag inverted use

Raincover CM hoist

*** all hoists are supplied with HAN-10 connector**

Controllers

Control 8-way DS8 Pro XLNT HAN-32 + link

Link cable for H32 controller

Control 4-way 4x HAN-10

Control 1-way pickle HAN-10

Control remote 8 x 8 way XLNT

Link cable 25m for remote

Mains

CEE 32A/400V power cable 5m

CEE 32A/400V power cable 10m

CEE 32A/400V power cable 15m

CEE 32A/400V power cable 20m

CEE 32A/400V power cable 25m

CEE 32A/400V > 2x CEE 32A/400V

CEE 63A/400V > 2x CEE 32A/400V

CEE 125A/400V > 2x 63A/400V

CEE 125A/400V > 4x 32A/400V

Motorrigger 32A/400V > 2x HAN-10

Motorrigger 32A/400V > 2x CEE 16A/400V 4pin

Motorcable's

Motorcable HAN-10 2.5m

Motorcable HAN-10 5m

Motorcable HAN-10 10m

Motorcable HAN-10 15m

Motorcable HAN-10 20m

CM adapter HAN-10 male > 16A/400V 4pin female + 3pin yellow male

CM adapter 16A/400V 4pin male + 3pin yellow female > HAN-10 female

CM adapter HAN-10 male > 16A/400V 4pin female + 4pin yellow male

CM adapter 16A/400V 4pin male + 4pin yellow female > HAN-10 female

Motorcable combi 5m (CEE 16A/400V 4pin red + 3pin yellow)

Motorcable combi 10m (CEE 16A/400V 4pin red + 3pin yellow)

Motorcable combi 15m (CEE 16A/400V 4pin red + 3pin yellow)

Motorcable combi 20m (CEE 16A/400V 4pin red + 3pin yellow)

Motorcable verlinde 5m (CEE 16A/400V 4pin red)

Motorcable verlinde 10m (CEE 16A/400V 4pin red)

Motorcable verlinde 15m (CEE 16A/400V 4pin red)

Motorcable verlinde 20m (CEE 16A/400V 4pin red)

Motormulti's

Motormulti HAN-32 30m

Motormulti HAN-32 25m

Motormulti HAN-32 15m

Motormulti HAN-32 5m

Motormulti HAN-32 2.5m

Break-out HAN-32 > 4x HAN-10

Motormulti HAN-16 60m

Motormulti HAN-16 30m

Motormulti HAN-16 25m

Motormulti HAN-16 20m

Motormulti HAN-16 15m

Motormulti HAN-16 10m

Motormulti HAN-16 5m

Motormulti HAN-16 2.5m

Break-out HAN-16 > 4x HAN-10

Break-out HAN-16 > 4x CEE 16A/400V 4pin red + 3pin yellow

Break-out HAN-16 > 4x CEE 16A/400V 4pin red + 4pin yellow

Steels

Steel 10kN 25cm

Steel 10kN 50cm

Steel 10kN 75cm

Steel 10kN 100cm

Steel 10kN 150cm

Steel 10kN 200cm

Steel 10kN 250cm

Steel 10kN 300cm

Steel 10kN 400cm

Steel 10kN 500cm

Steel 10kN 600cm

Steel 10kN 750cm

Steel 10kN 800cm

Steel 10kN 1000cm

Steel 10kN 2000cm

Steel 10kN 3000cm

Steel 10kN 5000cm

Steel 20kN 50cm

Steel 20kN 75cm

Steel 20kN 100cm

Steel 20kN 150cm

Steel 20kN 200cm

Steel 20kN 300cm

Steel 20kN 400cm

Steel 20kN 500cm

Steel 20kN 600cm

Steel 20kN 750cm

Steel 20kN 800cm

Steel 20kN 1000cm

Steel 20kN 2000cm

*** All lengths are pull to pull**

Basketsteels

Basketsteel 10kN 50cm

Basketsteel 10kN 75cm

Basketsteel 10kN 100cm

Basketsteel 10kN 150cm

Basketsteel 10kN 200cm

Basketsteel 10kN 250cm

Basketsteel 10kN 300cm

Basketsteel 20kN 50cm

Basketsteel 20kN 75cm

Basketsteel 20kN 100cm

Basketsteel 20kN 150cm

Basketsteel 20kN 300cm

Sleeved steels

Sleeved steel 10kN 65cm

Sleeved steel 10kN 100cm

Sleeved steel 10kN 120cm

Sleeved steel 10kN 150cm

Sleeved steel 10kN 200cm

Sleeved steel 10kN 250cm

Sleeved steel 20kN 200cm

Chainclutch

Chainclutch 11kN 150cm

Chainclutch 11kN 200cm

Chainclutch 15kN 300cm

Chainclutch 20kN 200cm

Chainclutch 20kN 300cm

Chainclutch 20kN 150cm (dec chain)

O-rings

O-ring 11kN

O-ring 25kN

O-ring 32kN

Shackle's

Shackle 5kN

Shackle 7.5kN

Shackle 10kN

Shackle 15kN

Shackle 20kN

Shackle 33kN

Shackle 47kN

Roundslings

Roundsling 20kN 50cm (spanset)

Roundsling 20kN 100cm (spanset)

Roundsling 20kN 150cm (spanset)

Roundsling 20kN 200cm (spanset)

Roundsling 20kN 250cm (spanset)

Roundsling 20kN 300cm (spanset)

Roundsling 20kN 400cm (spanset)

Roundsling 30kN 300cm (spanset)

K-link 7.5kN 300cm (spanset)

Steel flex

Steel flex 20kN 50cm

Steel flex 20kN 100cm

Steel flex 20kN 150cm

Steel flex 20kN 200cm

Steel flex 20kN 250cm

Ratchetstraps

Ratchetstrap 10kN 200cm

Ratchetstrap 10kN 400cm

Ratchetstrap 30kN 200cm

Ratchetstrap 30kN 400cm

Beamclamps

Beamclamp 75-220mm 20kN

Beamclamp 80-315mm 30kN

Extra's

Layher scaffclamp 360° 48.3mm

Layher scaffclamp 90° fixed 48.3mm

Layher scaffclamp 360° 50mm > 60mm

Layher scaffclamp with lifting eye M12

Layher scaffclamp > CCS6-651 (female)

Sling 60cm

Burlap

Rotation-units

Rotation-unit 1.5 rpm 100kg WLL

Rotation-unit 1 rpm 250kg WLL with feed-trough power

Rotation-unit 1 rpm 300kg WLL with feed-trough power

Safety sets

Safety line horizontal 20m

Safety fall arrest 20m (non-chute)

Steelladder 10m wide rungs

Steelladder 10m narrow rungs

Contact

Address:

Rigging Box BV

Rutherfordweg 101-103

3542 CN Utrecht

The Netherlands

P.O. box:

Rigging Box BV

Postbus 10073

3505 AB Utrecht

The Netherlands

Tel: +31 (0) 30 2447680

Fax: +31 (0) 30 2447606

Email: info@riggingbox.nl / rental@riggingbox.nl

Website: www.riggingbox.nl

Online certificates program www.hoistbox.nl